





13A 250V 1Gang switched socket, Aluminium Silver

E8215_AS_G1

Main

Range	Pieno	
Product Or Component Type	Socket-outlet	
Device Application	Power supply	
Switch Function	Switch	
Rated Current	13 A at 250 V AC 5060 Hz	
Number Of Gangs	1 gang	
Load Type	Resistive	
Cover Frame Colour Tint	Aluminium silver	

Complementary

Wiring Device Mounting	Surface Flush
Material	Polycarbonate: surround Polycarbonate: grid plate
Clamping Connection Capacity	2 x 4 mm² for stranded cable(s) 3 x 2.5 mm² for solid cable(s)
Width	87 mm
Height	87 mm
Depth	26.6 mm

Environment

Ambient Air Temperature For Operation	-540 °C
Relative Humidity	095 %
Standards	SS 145-2
	MS 589-2
	BS 1363-2

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.72 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm
Package 1 Weight	107.983 g

Unit Type Of Package 2	CAR	
Number Of Units In Package 2	80	
Package 2 Height	21 cm	
Package 2 Width	32.5 cm	
Package 2 Length	50 cm	
Package 2 Weight	8638.64 g	
Unit Type Of Package 3	PAL	
Number Of Units In Package 3	1600	
Package 3 Height	84 cm	
Package 3 Width	82.5 cm	
Package 3 Length	100 cm	
Package 3 Weight	189772.8 g	



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations