



Pieno - 16A 250V - 3 gang 1 way switch with fluorescent locator

E8233L1F

Main

Range Of Produc	Pieno	
Product Or Component Type	Switch	
Switch Function	1-way	
Switch Application	Switch	
Rated Current	16 AX at 250 V AC 50 Hz	
Local Signalling	Fluorescent (white)	
Number Of Gangs	3 gangs	
Load Type	Fluorescent Resistive	

Complementary

Wiring Device Mounting	Surface Flush
Material	Polycarbonate: surround Polycarbonate: grid plate
Connections - Terminals	Pillar terminals
Clamping Connection Capacity	2 x 1.5 mm² for stranded cable(s) 2 x 2.5 mm² for solid cable(s)
Width	87 mm
Height	87 mm

Environment

Ambient Air Temperature For Operation	-540 °C
Relative Humidity	095 %
Standards	IEC 60669-1 GB 16915.1
Product Certifications	CCC

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.446 cm
Package 1 Width	8.7 cm
Package 1 Length	8.663 cm

Package 1 Weight	98.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	10.1 cm
Package 2 Width	18.7 cm
Package 2 Length	19.6 cm
Package 2 Weight	1.026 kg
Unit Type Of Package 3	CAR
Number Of Units In Package 3	60
Package 3 Height	22.8 cm
Package 3 Width	30.2 cm
Package 3 Length	39.7 cm
Package 3 Weight	6.663 kg



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
Ø	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations