# **Product datasheet**

Specifications





## Safety switch, general duty, non fusible, 30A, 2 pole, 3hp, 240VAC, NEMA 3R, bolt on provision

DU221RB

#### Main

Product	Single Throw Safety Switch	
Duty Rating	General duty	
Device Application	Residential	
Disconnect Type	Non-fusible disconnect switch	
Factory Installed Neutral	None	
Phase	3 phases	
Number Of Poles	2	
Current Rating	30 A	
Voltage Rating	ge Rating 240 V AC	
Enclosure Rating Nema	NEMA 3R	
Motor Power Hp	3 hp at 240 V AC 60 Hz for 1 phase motors	

## Complementary

Mounting Type	Surface	
Electrical Connection	Lugs	
Wiring Configuration	2 wires	
Wire Size	AWG 14AWG 6 copper AWG 12AWG 6 aluminium	
Tightening Torque	3.39 N.m for 2.0813.3 mm² (AWG 14AWG 6)	
Depth	95.25 mm	
Width	196.85 mm	
Height	244.60 mm	
Net Weight	7.7 kg	

#### **Environment**

Certifications UL listed file E2875

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	13.716 cm
Package 1 Width	19.812 cm

Package 1 Length	25.146 cm
Package 1 Weight	2.109 kg
Unit Type Of Package 2	PAL
Number Of Units In Package 2	160
Package 2 Height	118.11 cm
Package 2 Width	101.6 cm
Package 2 Length	121.92 cm
Package 2 Weight	369.224 kg
Unit Type Of Package 3	CAR
Number Of Units In Package 3	5
Package 3 Height	27.432 cm
Package 3 Width	26.67 cm
Package 3 Length	60.452 cm
Package 3 Weight	11.158 kg

## **Contractual warranty**

Warranty 18 months



Green Premium<sup>TM</sup> label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance

<b>⊘</b>	Reach Free Of Svhc	
<b>⊘</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information Yes	
<b>Ø</b>	Pvc Free	

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations