Product datasheet

Specifications

Green Premium™



Socket, Vivace, 13A, 250V, 1 gang, white

KB426

Main

Range	Vivace
Product Or Component Type	Socket-outlet
Device Short Name	KB426
Device Application	Power supply
Device Presentation	Complete mechanism
Outlet Standard	British
Colour Tint	White
Type Of Packing	Plastic bag
Socket Number	1
Rated Current	13 A
Colour Tint	Wall: white

Complementary

Integrated Connection Type	1 socket-outlet 220250 V AC, maximum load current: 13 A
Outlet Standard	British
Outlet Standard Description	Flat pin
Outlet Poles Configuration	2P + E with shutter
Number Of Gangs	1 gang
Material	Polycarbonate: grid plate Polycarbonate: surround Nylon: base
Projecting Depth	8 mm
Device Mounting	Flush
Mounting Support	Wall mounted
Fixing Mode	By screws
Fixing Center	60.3 mm
Embedding Depth	20 mm
Rated Current	13 A at 250 V AC, resistive
[Ue] Rated Operational Voltage	220240 V
Network Frequency	50/60 Hz
Network Type	AC
Contacts Material	Brass and phosphor bronze

Connections - Terminals	Screw terminals
Terminal Identifier	L N E
Tightening Torque	0.4 N.m
Clamping Connection Capacity	2.5 mm ² 4 mm ²
Width	86 mm
Surface Treatment	Untreated
Height	86 mm
Surface Finish	Glossy
Depth	28 mm
Number Of Terminals	3
Clamping Connection Capacity	1 x 2.53 x 2.5 mm ² for rigid or stranded cable(s)

Environment

Standards	BS 1363-2 MS 589 SS 145
Ambient Air Temperature For Operation	-540 °C
Ambient Air Temperature For Storage	-560 °C
Relative Humidity	095 %
Operating Altitude	02000 m
Environmental Characteristic	Indoor use
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Weight	107.3 g

Contractual warranty

Warranty

18 months

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

0	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations